MENDELU
Odbor informačních
technologií

# Two-factor authentication using a web browser extension

The tutorial was prepared by using Google Chrome as an example

tech.mendelu.cz/en

## Authenticator





# Setting up authentication using one-time passwords (OTP) in the UIS





On this page you can set two-factor authentication using one-time passwords (OTP). Before you start using the login, you need to set your mobile phone. First download the application for generating one-time passwords, e.g. Google Authenticator or Authy.

Find the applications in Google Play and in App Store.



I am unable to scan QR code

#### Complete pairing with mobile device

To complete pairing, enter the two consecutive codes displayed by the application in the boxes **First code** and **Second code**. Click on the **Complete pairing** button to complete the pairing (saving in UIS). Click on the **Complete and activate login** button to complete pairing and to activate login using one-time passwords.

Second code		
Complete pairing	Complete and activate	login



Complete pairing Complete and activate login

1.1







First code	2. Paste the codes into the form.
Second code	
Complete pairing	Complete and activate login

+

To complete pairing, enter the two consecutive codes displayed by the application in the boxes **First code** and **Second code**. Click on the **Complete pairing** button to complete the pairing (saving in UIS). Click on the **Complete and activate login** button to complete pairing and to activate login using one-time passwords.







## **Additional information**



MENDELU
Odbor informačních
technologií

# The manual was prepared by

Department of Information Technology OIT MENDELU

tech.mendelu.cz/en